



Classic Ready To Feed 250ml

Kendamil Classic Ready to Feed Follow-on Formula is available as 250ml bottles for easy feeding on the go. It's uniquely made with whole milk and is free from palm oil, fish oil, and soy. Formulated to help meet the increased nutritional needs of infants from 6 months of age alongside a weaning diet.



Whole milk from
grass-fed cows



No palm, soy,
or fish oil



Vegetarian
friendly

Presentation

Kendamil Ready To Feed 250ml is packaged in UHT sterilised plastic bottles.

Contraindications

Not suitable for infants with galactosaemia, lactose intolerance, or allergy to any of the ingredients.

Shelf life

12 months from date of manufacture.

Storage

Before use please check best before date. Do not heat feeds in a microwave, hot spots may occur and cause scalding. Never leave your baby alone during feeding. Store in a cool dry place between 5°C and 25°C. Bottles should remain in the box or in a dark place to protect the contents from light. Once the bottle is opened, before feeding, the milk can be kept refrigerated at <5°C for maximum 24 hours. For hygiene reasons, after feeding, discard unfinished milk in the feeding bottle immediately after use. Bottles and teats for single use only.

IMPORTANT NOTICE

This information is intended for Healthcare Professional use only. Breastfeeding is best for babies. Follow-on milk is only for babies over 6 months, as part of a mixed diet and should not be used as a breastmilk substitute before 6 months. The use of follow-on formula should be made only on the advice of a healthcare professional.

Ingredients

Water, Whole **Milk** (22%), Demineralised Whey (**Milk**), Demineralised Whey Permeate (**Milk**), Vegetable Oils (Rapeseed, Sunflower), Galacto-oligosaccharides (**Milk**), Calcium Citrate, Potassium Phosphate, Calcium Phosphate, Sodium citrate, Choline Chloride, Fructo-oligosaccharides, Magnesium Chloride, Oil from the microalgae Schizochytrium Sp., Potassium Hydroxide, Inositol, L-tryptophan, L-tyrosine, L-histidine, Oil from Mortierella Alpina, Taurine, L-carnitine-L-tartrate, Sodium Chloride, Ferrous Sulphate, Zinc Sulphate, Copper Sulphate, Manganese Sulphate, Sodium Selenite, Potassium Iodide, Vitamin A, Vitamin D3, Thiamin (B1), Riboflavin (B2), Niacin, Pantothenic acid, Vitamin B6, Biotin, Folic acid, Vitamin B12, Vitamin C, Vitamin E, Vitamin K1, Emulsifier (Sunflower Lecithin), Antioxidant : Tocopherol Rich Extract.

Allergy advice: For allergens see ingredients in **bold**.

Nutritional Claims

		Per 100ml			
			Zinc	mg	0.45
Energy	kJ kcal	271 65	Copper	µg	53
Fat	g	3.3	Iodine	µg	13
of which saturates	g	0.80	Selenium	µg	3.0
of which unsaturates	g	2.5	Manganese	µg	10
Linoleic Acid	mg	450	Fluoride	mg	<0.01
α-Linolenic Acid (ALA)	mg	50	Vitamins		
Docosahexaenoic Acid (DHA - LCP)	mg	16	Vitamin A	µg-RE	52
Arachidonic Acid (ARA - LCP)	mg	14	Vitamin D3	µg	1.40
Total Carbohydrate	g	7.2	Thiamin	µg	60
of which sugars	g	6.8	Riboflavin	µg	130
of which lactose	g	6.6	Niacin	mg	0.6
Fibre	g	0.56	Pantothenic Acid	mg	0.45
of which Galacto-oligosaccharides	g	0.50	Vitamin B6	µg	43
of which Fructo-oligosaccharides	g	0.06	Biotin	µg	2.3
Protein (N x 6.25)	g	1.3	Folate	µg (DFE)	14
- Whey protein	g	0.68	Vitamin B12	µg	0.12
- Casein protein	g	0.62	Vitamin C	mg	11
Minerals			Vitamin K	µg	3.6
Sodium	mg	32	Vitamin E	mg-α-TE	1.8
Potassium	mg	78	Others		
Chloride	mg	47	Taurine	mg	3.0
Calcium	mg	55	L-Carnitine	mg	0.90
Phosphorous	mg	40	Choline	mg	22
Magnesium	mg	4.6	Inositol	mg	9.5
Iron	mg	0.75			

Feeding Table

After six months, once weaning is established, we recommend giving your baby about 1 pint (500-600ml) per day. This information is given as a guide only.

Preparation

CHECK CAP BEFORE OPENING. DO NOT USE IF SEAL IS BROKEN. PLEASE FOLLOW THESE INSTRUCTIONS CAREFULLY FAILURE TO FOLLOW INSTRUCTIONS MAY MAKE YOUR BABY ILL.

1. Wash hands and warm the feed by standing the sealed bottle in a bain marie of hot water.
2. SHAKE BOTTLE WELL. Unscrew cap and carefully remove aluminium foil seal. Dispose of both cap and seal carefully.
3. Add sterilised teat by holding the teat ring and screwing directly onto the bottle. Test temperature on your wrist before feeding. If feed has not been used within 1 hour, we recommend that you throw it away and start again. Do not add food products such as cows' milk and do not re-heat in a microwave.