



ESTD 1962

Kendamil[®] goat

nutritional profile & mixing instructions

Nutritional Profile

Nutrient	Unit	Per 100kcal	Per 100ml				
			20 kcal/ fl oz	22 kcal/ fl oz	24 kcal/ fl oz	27 kcal/ fl oz	30 kcal/ fl oz
Energy	kcal	100	66	73	80	90	100
Volume	mL	136	100	100	100	100	100
Protein	g	2.0	1.3	1.5	1.6	1.8	2.0
Fat	g	5.3	3.5	3.9	4.2	4.8	5.3
Linoleic Acid	mg	725	479	529	580	653	725
Linolenic Acid	mg	69	46	50	55	62	69
DHA	% total fat	0.46	0.46	0.46	0.46	0.46	0.46
ARA	% total fat	0.23	0.23	0.23	0.23	0.23	0.23
Carbohydrate	g	11.0	7.3	8.0	8.8	9.9	11.0
Vitamins							
Vitamin A	IU	294	194	215	235	265	294
Vitamin D	IU	86	57	63	69	77	86
Vitamin E	IU	5.0	3.3	3.7	4.0	4.5	5.0
Vitamin K	mcg	6.5	4.3	4.7	5.2	5.9	6.5
Thiamin (Vitamin B1)	mcg	100	66	73	80	90	100
Riboflavin (Vitamin B2)	mcg	240	158	175	192	216	240
Vitamin B6	mcg	80	53	58	64	72	80
Vitamin B12	mcg	0.18	0.12	0.13	0.14	0.16	0.18
Niacin	mcg	980	647	715	784	882	980
Folic Acid	mcg	16	11	12	13	14	16
Pantothenic Acid	mcg	730	482	540	584	657	730
Biotin	mcg	4.3	2.8	2.0	3.4	3.9	4.3
Vitamin C	mg	18	11.9	9.5	14.4	16.2	18.0
Choline	mg	33	22	22	26	30	33
Inositol	mg	20.0	13.2	12.4	16.0	18.0	20.0
Minerals							
Calcium	mg	67	44	50	54	60	67
Phosphorus	mg	41	27	26	33	37	41
Magnesium	mg	9	6	7	7	8	9
Iron	mg	1.1	0.73	0.75	0.88	0.99	1.10
Zinc	mg	0.8	0.53	0.55	0.64	0.72	0.80
Manganese	mcg	11	7	9	9	10	11
Copper	mcg	80	53	57	64	72	80
Iodine	mcg	20	13	13	16	18	20
Selenium	mcg	4.0	2.6	2.6	3.2	3.6	4.0
Sodium	mg	33	22	27	26	30	33
Potassium	mg	127	83.82	73	101.6	114.3	127
Chloride	mg	98	65	55	78	88	98
Osmolality							
	mOsm/kg		349	384	419	471	524

Mixing Instructions

Calories per scoop	21.9
Grams powder per level scoop	4.3
Grams powder per tablespoon (Tbsp)	7.49
Grams powder per teaspoon (tsp)	2.49
Grams powder per level cup	121.4
Grams protein per gram powder	0.104
Displacement per scoop, mL	3.3
Displacement per gram of powder, mL	0.77
Displacement per tablespoon of powder, mL	5.77


Fortification Instructions

Calories/Ounce	20kcal/oz	22kcal/oz	24kcal/oz	26kcal/oz
Water Volume	5 oz water	4.5 oz water	5.5 oz water	5 oz water
Unpacked Level Scoop	5	5	7	7
Yield	5.5 oz	5 oz	6 oz	5.5 oz

feeding table (birth - 12 months)

(1 level scoop = 4.3g) Add 1 level scoop of powder to each 30 ml (1 fl.oz) of water.

This feeding table should only be used as a guide. All babies are different and so may require more or less than is shown below. Kendamil Goat Infant Formula should be fed on demand. If you need more advice talk to your healthcare professional.



approx. age of baby	water per feed ⁺		scoops per feed	feeds per 24 hours
	ml	fl.oz		
0 - 1 week	60	2	2	10
1 week - 1 month	90	3	3	8
1 - 3 months	150	5	5	6
3 - 6 months	180	6	6	5
6 - 9 months	240	8	8	4
10 - 12 months	240	8	8	3

⁺ freshly boiled and cooled

Ingredients

Whole goat **milk**, Demineralised goat whey powder, Blend of oils (sunflower oil, coconut oil, rapeseed oil), Galacto-oligosaccharides*, Lactose, Less than 2% of Calcium citrate, Choline bitartrate, Potassium chloride, Calcium lactate, Sodium citrate, Magnesium chloride, Sodium ascorbate, Oil from the microalgae Schizochytrium sp.**, L-Tyrosine, L-Phenylalanine, L-Tryptophan, Potassium hydroxide, Inositol, Mortierella alpina oil***, L-Isoleucine, Taurine, Calcium phosphate, Ferrous sulfate, Nucleotides (Cytidine- 5'-monophosphate, disodium Uridine-5'-monophosphate, Adenosine-5'-monophosphate, disodium Inosine-5'-monophosphate, disodium Guanosine-5'- monophosphate), L-Carnitine, Zinc sulphate, Vitamin E, Niacin, Calcium pantothenate, Copper sulphate, Thiamin, Riboflavin, Vitamin A, Vitamin B6, Manganese sulphate, Folic acid, Potassium iodide, Sodium selenite, Vitamin K, Vitamin D3, Biotin, Vitamin B12. **CONTAINS MILK**

Allergy Advice: For Allergens See Ingredients in **Bold**.

For medical professionals only

Higher calorie formula concentrations should be used only under the direction of a medical professional. Decisions regarding caloric concentration should be based on medical condition and history. The health care provider is responsible for determining nutritional requirements and monitoring patient tolerance to feedings. The extended use of >20kcal/fl oz formula is not recommended in the absence of medical necessity. As with any powdered infant formula product, use with immune compromised infants is not recommended. When such use is necessary, we recommend following the Academy of Nutrition and Dietetics guidelines for safe preparation, storage, and administration.