



ESTD 1942

for healthcare professional use

Kendamil®

product data card

Classic Toddler Milk 800g

Description

Kendamil Classic Toddler Milk is a formula uniquely made with whole milk fat nutrients and free from palm oil and fish oil, formulated to help meet the nutritional needs of toddlers aged 1-3 years as part of a varied, balanced diet. Exclusively manufactured in the UK using Red-Tractor certified whole milk, Kendamil is enriched with plant-based DHA and ARA, making it the only vegetarian friendly baby milk. Kendamil Toddler Milk contains a blend of GOS and HMOs in the form of 3'-GL (galactosyllactose).

Presentation

Kendamil Stage 3 Classic is packaged in a 800g can.

Contraindications

Not suitable for infants with galactosaemia, lactose intolerance, or allergy to any of the ingredients.

Shelf life

24 months from date of manufacture.

Storage

Store in a cool dry place before and after opening. Packaged in a protective atmosphere. For best before, see base of can. Use within 4 weeks of opening. Do not refrigerate and do not freeze.

IMPORTANT NOTICE

Breastfeeding, enriched by a balanced mothers diet, is best for babies. Combined breast and bottle feeding may reduce milk supply. Deciding not to breastfeed is difficult to reverse and the social / financial implications of bottle feeding should be considered. Always follow manufacturers instructions carefully as improper use can present a health hazard or make your baby ill. Always consult your healthcare professional for advice on feeding.

Ingredients

Allergen advice see ingredients in **bold**.

Whole **Milk**, Lactose (from **Milk**), Skimmed **Milk** Powder, Vegetable Oils (Sunflower, Coconut, Rapeseed), Galacto-oligosaccharides (from **Milk**), **Less than 2% of:** Calcium Phosphate, Calcium Lactate, Potassium Hydroxide, LCP Oils (Oil from the microalgae Schizochytrium sp., Oil from Mortierella alpina), Sodium Ascorbate, Fructo-oligosaccharides, Calcium Citrate, Iron Pyrophosphate, Nucleotides (Cytidine-5'-monophosphate, disodium Uridine-5'-monophosphate, Adenosine-5'-monophosphate, disodium Inosine-5'-monophosphate, disodium Guanosine-5'-monophosphate), Vitamin E, Zinc Sulphate, Niacin, Calcium Pantothenate, Copper Sulphate, Vitamin A, Thiamin, Riboflavin, Vitamin B6, Folic Acid, Manganese Sulphate, Potassium iodide, Vitamin K, Sodium Selenite, Biotin, Vitamin D3, Vitamin B12.

Typical Nutritional Values

		per 100g	per 100ml				
				Vitamin D3	mcg	5.4	0.7 (10%*)
Energy	kJ	1974	270	Vitamin E	mg- α -TE	9	1.2 (24%*)
	kcal	471	64	Vitamin K	mcg	27	3.7 (31%*)
Fat	g	20.4	2.8	Vitamin C	mg	86	12 (27%*)
of which:				Thiamin	mg	0.52	0.07 (14%*)
-saturates	g	9.3	1.3	Riboflavin	mg	0.86	0.12 (17%*)
-unsaturates	g	11.1	1.5	Niacin	mg	5.2	0.71 (10%*)
Omega 3				Folic Acid	mcg (DFE)	100	14 (19%*)
α -Linolenic Acid (ALA)	mg	260	37	Vitamin B12	mcg	0.8	0.1 (14%*)
Docosahexaenoic Acid (DHA - LCP)	mg	62	8.8	Pantothenic Acid	mg	3.2	0.44 (15%*)
Omega 6				Biotin	mcg	13	1.8 (18%*)
Linoleic Acid	mg	2600	370	Minerals			
Arachidonic Acid (AA - LCP)	mg	16	2.2	Potassium	mg	765	105 (11%*)
Carbohydrate	g	58	8.0	Chloride	mg	370	52 (10%*)
-of which sugars**	g	54	7.4	Calcium	mg	880	121 (22%*)
-of which lactose	g	53	7.2	Phosphorous	mg	480	66 (12%*)
Fibre	g	1.66	0.23	Magnesium	mg	47	6.5 (8%*)
-of which Galacto - oligosaccharides	g	1.45	0.2	Iron	mg	6.3	0.9 (12%*)
of which Fructo- oligosaccharides	g	0.16	0.02	Zinc	mg	3.7	0.5 (10%*)
-of which 3'GL***	g	0.05	0.01	Copper	mg	0.26	0.040 (8%*)
Protein (N x 6.25)	g	13	1.8	Iodine	mcg	81	11 (14%*)
-Whey protein	g	2.6	0.34	Selenium	mcg	18	2.5 (12%*)
-Casein protein	g	10.4	1.34	Others			
Salt	g	0.42	0.06	L- Carnitine (naturally present)	mg	6.8	0.9
Vitamins				Nucleotides	mg	20	2.8
Vitamin A	mcg-RE	450	62 (15%*)				

* % Labelling Reference Values

**Sugars derived from milk

*** 3'GL - Galactosyllactose

Feeding Table

This feeding table should only be used as a guide. All babies are different and so may require more or less than is shown below. Kendamil Toddler milk should be fed on demand.

Approximate age of baby	Amount of freshly boiled and cooled water per feed	Scoops per feed
12-36 months	180	6

Preparation

1. Wash hands, then sterilise your feeding utensils according to manufacturer's instructions.
2. Fill kettle with 1 litre of freshly run tap water (do not use repeatedly boiled water). Boil and leave to cool for 30 minutes, so it remains at a temperature of at least 70°C. Measure the required water into a sterilised bottle.
3. Using the scoop provided, add the correct number of levelled scoops to the bottle. Use the straight edge inside the lid to level each scoop.
4. Place a sterilised teat and cap on the bottle and shake well to dissolve powder.
5. Cool to a natural body temperature by running the bottle (lid on) under cold running water. Always test the temperature of the formula on the inside of your wrist.

If feed has not been used within 2 hours, we recommend that you throw it away and start again. Do not add food products such as cows' milk and do not re-heat in a microwave.